

## Electrical Properties System

Archie's Coefficient Determination

Resistivity Index is an electrical property of rock that is the ratio of rock resistivity when it is partially saturated with water to that when is fully saturated with water. Utilizing Archie's Famous saturation of rock, through saturation exponent, in situ water saturation can be calculated. Therefore, based on the material balance equation (i.e.  $S_o + S_g + S_w = 1$ ), hydrocarbon in place can also be determined.



### Experiment Description

Two conductive pads are used for measuring the resistivity of both sides of the sample at fully and partially water saturated conditions. Based on the amount of saturation and resistivity index, Archie's coefficients can be calculated. Measuring is performed at ambient pressure and temperature conditions.

Specification	EPS -BR01	EPS -PR01
Resistivity Measurement Method	2 Electrodes	4 Electrodes
Rock Electrical Properties Measurement Frequency	50 Hz 1000Hz 10 KHz	50 Hz 1000Hz 10 KHz
Working Temperature	Ambient	Ambient
Working Pressure	Atmospheric	Atmospheric
Core Length	1" and 1.5"	1" and 1.5"
Core Diameter:	up to 4"	up to 4"
Input Power Supply	220 VAC, 50Hz	220 VAC, 50Hz
Computer System	✘	✓
Automatic Data Acquisition and Monitoring System	✘	✓
Pneumatic Jack Maximum Pressure	✘	6 bar

### Contact info:

+98 71 3624 6968 / +98 71 3624 7604  
info@petroazma.com  
www.petroazma.com

### Address:

Fars Science and Technology Park,  
Aryan St., Dr.Hesabi Blvd., Shiraz, I.R.Iran  
P.O Code: 7197687811