

باهر اکسیرکاوہ

تولید کننده مواد شیمیایی آزمایشگاهی

با خودپاوری و همت کارشناسان شیمیست مجرب فارغ التحصیل از دانشگاه های معتبر (صنعتی شریف و شهید بهشتی) پر آنیم تا قدمی در زمینه تولید مواد شیمیایی گرید آزمایشگاهی با کیفیت و قیمت مناسب برداریم و نیازهای کشور را برآورده سازیم.
زمینه های فعالیت:

۱. تولید و ارائه مواد شیمیایی آزمایشگاهی
۲. تولید و ارائه انواع نانو جاذب
۳. ارائه و خدمات پس از فروش استناداردها و ناخالصی-های دارویی پر اساس BP، EP، USP، In House
۴. ارائه و مشاوره در زمینه انتقال دانش فنی تولید مواد اولیه دارویی
۵. تحقیقات در زمینه تولید مواد اولیه دارویی و مواد شیمیایی گرید آزمایشگاهی

• محلول کارل فیشر بدون پیریدین ولومتری (معادل ۱۸۸۰۰۵ و ۱۸۸۰۰۲ و ۱۸۸۰۰۰ و ۱۸۸۰۰۶ و ۱۸۸۰۰۷ و ۱۸۸۰۰۸) شرکت مرک

• محلول کارل فیشر بدون پیریدین کولومتری (معادل ۱۰۹۲۵۷ و ۱۰۹۲۵۵) شرکت مرک

• حلالهای HPLC گرید (استونیتریل ۱۰۰۰۳۰- متانول ۱۰۶۰۰۷- تترا هیدرو فوران ۱۰۸۱۰ و اینرو پروپانول ۱۰۴۰ و ۱۰۰۰۰)

• انواع حلالهای خشک

• انواع مواد شیمیایی آزمایشگاهی با بالاترین کیفیت

• تولید انواع مواد شیمیایی آزمایشگاهی و دارویی طبق سفارش مشتری

ChemBEX

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|--------------------------|------------|
| Acetic acid c(CH ₃ COOH) = 1 mol/l (1 N) Titribex | BEX160305 | 1 l (Plastic Bottle) | 700,000 |
| Acetic acid c(CH ₃ COOH) = 0.1 mol/l (0.1 N) Titribex | BEX160250 | 1 l (Plastic Bottle) | 700,000 |
| Acetic acid 96 % GR for analysis | BEX100062 | 1 l (Glass Bottle) | 700,000 |
| | | 1 l (Plastic Bottle) | 650,000 |
| | | 2.5 l (Glass Bottle) | 1,400,000 |
| | | 2.5 l (Plastic Bottle) | 1,300,000 |
| | | 4 l (Glass Bottle) | 2,100,000 |
| | | 10 l (Plastic container) | 4,000,000 |
| 20 l (Plastic container) | 7,800,000 | | |
| Acetic acid (Glacial), Extra pure Ph. Eur., JP, USP | BEX137130 | 1 l (Plastic Bottle) | 700,000 |
| Acetic acid 100%, for HPLC LiChrobex | BEX543808 | 1 l (Plastic Bottle) | 1,400,000 |
| Acetic acid (Glacial), extra pure Ph Eur,BP,JP,USP | BEX137000 | 1 l (Plastic Bottle) | 700,000 |
| | | 2.5 l (Plastic Bottle) | 1,400,000 |
| | | 10 l (Plastic Bottle) | 3,800,000 |
| | | 20 l (Plastic Bottle) | 7,000,000 |
| Acetic acid 96 % extra pure | BEX100058 | 1 l (Glass Bottle) | 700,000 |
| | | 2.5 l (Glass Bottle) | 1,400,000 |
| | | 10 l (Plastic container) | 4,200,000 |
| | | 20 l (Plastic container) | 8,200,000 |
| Acetic acid 60 % extra pure | BEX137034 | 1 l (Plastic Bottle) | 700,000 |
| | | 2.5 l (Plastic Bottle) | 1,400,000 |
| | | 10 l (Plastic Bottle) | 4,200,000 |
| | | 20 l (Plastic Bottle) | 8,200,000 |
| Acetic acid (glacial) 100% anhydrous for analysis ACS,ISO,Reag. Ph Eur | BEX100063 | 1 l (Glass Bottle) | 900,000 |
| | | 1 l (Plastic Bottle) | 850,000 |
| | | 2.5 l (Glass Bottle) | 1,800,000 |
| | | 2.5 l (Plastic Bottle) | 1,700,000 |
| | | 4 l (Glass Bottle) | 2,700,000 |
| 10 l (Plastic container) | 5,000,000 | | |
| Acetic acid 1 mol/L | BEX137035 | 2.5 l (Plastic Bottle) | 1,800,000 |
| | | 4 l (Glass Bottle) | 3,600,000 |
| | | 10 l (Plastic container) | 7,200,000 |
| Acetic acid 60 % extra pure | BEX137094 | 1 l (Plastic Bottle) | 700,000 |
| | | 2.5 l (Plastic Bottle) | 1,400,000 |
| | | 4 l (Glass Bottle) | 2,100,000 |
| | | 10 l (Plastic container) | 4,200,000 |
| Acetic acid 30 %for analysis Reag. Ph Eur | BEX159166 | 1 l (Glass Bottle) | 700,000 |
| Acetic acid 60 % extra pur | BEX137072 | 1 l (Plastic Bottle) | 700,000 |
| | | 2.5 l (Plastic Bottle) | 1,400,000 |
| | | 10 l (Plastic container) | 4,200,000 |
| Acetic acid (glacial) 100% Supra | BEX100066 | 1 l (Glass Bottle) | |
| Acetic acid 75 % extra pur | BEX137011 | 1 l (Plastic Bottle) | 700,000 |
| | | 2.5 l (Plastic Bottle) | 1,400,000 |
| | | 10 l (Plastic container) | 4,200,000 |
| Acetic acid (glacial) 100% for analysis ACS | BEX101830 | 1 l (Glass Bottle) | 900,000 |
| | | 1 l (Plastic Bottle) | 850,000 |
| | | 2.5 l (Plastic Bottle) | 1,800,000 |
| | | 10 l (Plastic container) | 2,550,000 |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|--------------------------|------------|
| Acetic acid(glacial) 100%, Ph Eur, BP, USP | BEX100056 | 1 l (Glass Bottle) | 700,000 |
| | | 2.5 l (Glass Bottle) | 1,400,000 |
| | | 4 l (Glass Bottle) | 2,100,000 |
| | | 10 l (Plastic Can) | 4,200,000 |
| Acetic acid 30 % extra pur | BEX137047 | 1 l (Glass Bottle) | 700,000 |
| | | 1 l (Plastic Bottle) | 650,000 |
| | | 2.5 l (Glass Bottle) | 1,400,000 |
| | | 2.5 l (Plastic Bottle) | 1,300,000 |
| | | 4 l (Glass Bottle) | 2,100,000 |
| | | 10 l (Plastic container) | 3,800,000 |
| Acetic acid 100% for LC-MS LiChrobex | BEX533001 | 50 ml (Glass Bottle) | 1,000,000 |
| | | 100 ml (Glass Bottle) | 1,500,000 |
| | | 250 ml (Glass Bottle) | 3,000,000 |
| | | 1 l (Glass Bottle) | 6,000,000 |
| Acetic acid 30 % extra pur | BEX480362 | 1 l (Glass Bottle) | 700,000 |
| | | 1 l (Plastic Bottle) | 650,000 |
| | | 2.5 l (Plastic Bottle) | 1,400,000 |
| | | 10 l (Plastic container) | 4,200,000 |
| Acetic acid 99-100% for synthesis | BEX818755 | 1 l (Glass Bottle) | 700,000 |
| | | 1 l (Plastic Bottle) | 650,000 |
| | | 2.5 l (Plastic Bottle) | 1,400,000 |
| | | 10 l (Plastic container) | 4,200,000 |
| Acetone Extra pure Ph Eur,BP,JPE,NF | BEX100013 | 1 l (Glass Bottle) | 1,300,000 |
| | | 2.5 l (Glass Bottle) | 2,600,000 |
| | | 2.5 l (Plastic Bottle) | 2,500,000 |
| | | 4 l (Glass Bottle) | 3,900,000 |
| | | 10 l (Plastic Can) | 7,800,000 |
| Acetone for Cleaning | BEX67641 | 10 l (Plastic Can) | 6,500,000 |
| | | 20 l (Plastic Can) | 12,000,000 |
| Acetone for analysis ACS | BEX107021 | 1 l (Glass Bottle) | 1,400,000 |
| | | 2.5 l (Glass Bottle) | 2,800,000 |
| | | 2.5 l (Plastic Bottle) | 2,700,000 |
| | | 4 l (Glass Bottle) | 4,200,000 |
| Acetone for analysis ACS,ISO,Reag. Ph Eur | BEX100014 | 1 l (Glass Bottle) | 1,400,000 |
| | | 2.5 l (Glass Bottle) | 2,800,000 |
| | | 2.5 l (Plastic Bottle) | 2,700,000 |
| | | 4 l (Glass Bottle) | 4,200,000 |
| Acetonefor gas chromatography | BEX100012 | 1 l (Glass Bottle) | 1,500,000 |
| | | 2.5 l (Glass Bottle) | 3,000,000 |
| | | 4 l (Glass Bottle) | 4,500,000 |
| Acetone for liquid chromatography | BEX100020 | 1 l (Glass Bottle) | 1,500,000 |
| | | 2.5 l (Glass Bottle) | 3,000,000 |
| | | 4 l (Glass Bottle) | 4,500,000 |
| Acetone for spectroscopy | BEX100022 | 1 l (Glass Bottle) | 1,450,000 |
| | | 2.5 l (Glass Bottle) | 2,900,000 |
| | | 4 l (Glass Bottle) | 4,350,000 |
| Acetone for synthesis | BEX822251 | 1 l (Plastic Bottle) | 1,300,000 |
| | | 2.5 l (Plastic Bottle) | 2,600,000 |
| | | 10 l (Plastic Can) | 7,800,000 |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| Acetonitrile for DNA synthesis (≤ 30 ppm H ₂ O) | BEX113223 | 1 l (Glass Bottle) | 3,000,000 |
| | | 2.5 l (Glass Bottle) | 6,000,000 |
| | | 4 l (Glass Bottle) | 9,000,000 |
| Acetonitrile gradient grade for liquid chromatography Reag. Ph Eur. | BEX10030 | 1 l (Glass Bottle) | 2,200,000 |
| | | 2.5 l (Glass Bottle) | 4,400,000 |
| | | 4 l (Glass Bottle) | 6,600,000 |
| Acetonitrile for gas chromatography | BEX100017 | 1 l (Glass Bottle) | 2,200,000 |
| | | 2.5 l (Glass Bottle) | 4,400,000 |
| | | 4 l (Glass Bottle) | 6,600,000 |
| Acetonitrile extra pure | BEX115500 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 190 l (Steel barrel) | |
| Acetonitrile for preparative chromatography | BEX113358 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Acrylic acid for synthesis | BEX800181 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 10 l (Plastic Can) | |
| | | 20 l (Plastic Can) | |
| Adipic acid for synthesis | BEX818650 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Adipic acid Extra pure Ph Eur,NF,FCC,E 355 | BEX100090 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Aluminium fine powder | BEX101056 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Aluminium chloride hexahydrate Extra pure Ph Eur,BP,USP | BEX101084 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Aluminium hydroxide powder, hydrargillite Extra pure | BEX101091 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Aluminium Oxide extra pure | BEX115754 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| Aluminium sulfate extra pure Ph Eur,BP | BEX101102 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Amidosulfuric acid (Sulfamic acid) for analysis | BEX100103 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Amidosulfuric acid (Sulfamic acid) Extra pure | BEX100219 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Amidosulfuric acid (Sulfamic acid) for synthesis | BEX814483 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| | | 10 kg (Plastic Bottle) | |
| 4-Amino phenol for synthesis | BEX800421 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonia solution 28-30% for analysis ACS,Reag. Ph Eur | BEX105423 | 1 l (Glass Bottle) | |
| | | 1 l (Plastic Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 10 l (Plastic Can) | |
| Ammonia solution 25 % suprabex | BEX105428 | 1 l (Plastic Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| Ammonia solution 32% extra pure | BEX105426 | 1 l (Glass Bottle) | |
| | | 1 l (Plastic Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| Ammonia solution 25% extra pure Ph Eur,BP | BEX105422 | 4 l (Glass Bottle) | |
| | | 10 l (Plastic Can) | |
| | | 1 l (Glass Bottle) | |
| | | 1 l (Plastic Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| Ammonia solution 10% extra pure Ph Eur,BP | BEX105423 | 2.5 l (Plastic Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 10 l (Plastic Can) | |
| | | 1 l (Glass Bottle) | |
| | | 1 l (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|------------|
| Ammonia solution 25% for HPLC LiChrobex | BEX105423 | 1 l (Glass Bottle) | |
| Ammonia solution 25% for analysis ISO,Reag. Ph Eur | BEX105426 | 1 l (Glass Bottle) | |
| | | 1 l (Plastic Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 4 l (Glass Bottle) | |
| Ammonium acetate for HPLC LiChrobex | BEX583834 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Ammonium acetate for analysis ACS,Reag. Ph Eur | BEX101116 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium acetate Extra pure | BEX101115 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium buffer solution for complexometry (ammonium chloride/ammonia) pH = 10-11 Titribex | BEX109478 | 1 l (Plastic Bottle) | |
| Ammonium bifluoride for analysis ACS | BEX1011640 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| | | 10 kg (Plastic Bottle) | |
| Ammonium chloride Molecular Biology Grade | BEX168320 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium chloride for analysis ACS,ISO,Reag. Ph Eur | BEX101145 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium chloride 99.995 Suprabex | BEX101143 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Ammonium chloride extra pure Ph Eur,BP,USP | BEX100924 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium chloride Ph Eur,BP,USP | BEX101142 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium chloride pure | BEX 101141 | 25 kg (Paper bag) | |
| Ammonium carbonate for analysis ACS,Reag. Ph Eur | BEX159504 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|------------|
| Ammonium dihydrogen phosphate (Ammonium phosphate monobasic) for analysis ACS,Reag. Ph Eur | BEX101126 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium dihydrogen phosphate (Ammonium phosphate monobasic) cryst. extra pure | BEX101124 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium dihydrogen phosphate (Ammonium phosphate monobasic) 99.99 Suprabex | BEX101440 | 50 g (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| Ammonium dihydrogen phosphate (Ammonium phosphate monobasic) for HPLC LiChrobex | BEX543738 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium heptamolybdate tetrahydrate(ammonium molybdate) cryst. extra pure | BEX101180 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium hydrogen carbonate extra pure, Ph Eur,BP | BEX101131 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Ammonium hydrogen carbonate for HPLC LiChrobex | BEX543835 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| di- Ammonium hydrogen phosphatefor analysis, ACS,Reag. Ph Eur | BEX101207 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium monovanadate GR for analysis Reag. Ph Eur | BEX101226 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium nitrate analysis , ACS | BEX101188 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium nitrate extra pure | BEX101187 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Ammonium nitrate solution, 1 mol/l acc. to DIN 19730 | BEX102696 | 1 l (Plastic Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| Ammonium peroxodisulfate extra pure | BEX101200 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|--------------------------------|------------------------|------------|
| Ammonium peroxodisulfate for analysis, ACS,Reag. Ph Eur | BEX101201 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ammonium Persulfate | see Ammonium peroxodisulfate | | |
| Ammonium sulfate for analysis, ACS, ISO, Reag. Ph Eur | BEX101217 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Ammonium sulfate extra pure | BEX101216 | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Ammonium sulfate for biochemistry. | BEX101211 | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| | | 10 kg (Plastic Bottle) | |
| Ammonium sulfate ACS,NF | BEX101216 | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| L-Ascorbic acid | BEX1831 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Avicel | see Cellulose Microcrystalline | | |
| Barium | | 100 g (Plastic Bottle) | |
| Barium carbonate for analysis, ACS,Reag. Ph Eur | BEX101714 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Barium chloride dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur | BEX101719 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Barium chloride dihydrate extra pure | BEX101717 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Barium chloride solution 1000 ml, c(BaCl ₂) = 0.05 mol/l (0.1N) Titrisolbex | BEX109962 | 1 l (Plastic Bottle) | |
| Barium nitrate for analysis, ACS | BEX101729 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Barium sulfate extra pure Ph Eur,BP,USP | BEX101750 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| Benzoic acid for analysis, Reag. Ph Eur | BEX100136 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Benzoic acid for synthesis | BEX822257 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Benzyl alcohol for synthesis | BEX822259 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Bismuth (powder) 99+ | BEX112400 | 10 g (Plastic Bottle) | |
| | | 25 g (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| Bismuth (III) nitrate alkaline for analysis, Reag. Ph Eur | BEX101878 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Boric acid cryst., Ph Eur,BP,JP,NF | BEX100156 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Bromoethane for synthesis | BEX800871 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| 1-Butanol Extra pure, NF | BEX100988 | 1 l (Glass Bottle) | 800,000 |
| | | 2.5 l (Glass Bottle) | 1,600,000 |
| | | 2.5 l (Plastic Bottle) | 1,500,000 |
| | | 4 l (Glass Bottle) | 2,400,000 |
| | | 10 l (Plastic Can) | 4,500,000 |
| 1-Butanol for liquid chromatography | BEX101988 | 1 l (Glass Bottle) | 1,000,000 |
| | | 2.5 l (Glass Bottle) | 2,000,000 |
| | | 4 l (Glass Bottle) | 3,000,000 |
| 1-Butanol for spectroscopy | BEX101989 | 1 l (Glass Bottle) | 900,000 |
| | | 2.5 l (Glass Bottle) | 1,800,000 |
| | | 4 l (Glass Bottle) | 2,700,000 |
| 1-Butanol GR for analysis | BEX101989 | 1 l (Glass Bottle) | 900,000 |
| | | 2.5 l (Glass Bottle) | 1,800,000 |
| | | 4 l (Glass Bottle) | 2,700,000 |
| 2-Butanol Extra Pure | BEX822263 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| n-Butyl acetate Extra Pure | BEX101974 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| n-Butyl acetate for analysis | BEX109652 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| Butyl acrylate for synthesis | BEX800832 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Butylhydroxytoluene (BHT) Extra Pure | BEX817074 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Caffeine Extra Pure, Ph Eur,BP,USP | BEX102584 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Caffeine standard solution for HPLC system qualification Solution for gradient test; 20 mg/l caffeine in water 500 ml LiChroTest | BEX119163 | 10 ml (Glass Bottle) | |
| Calcium | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Calcium acetate hydrate hydrate extra pure | BEX102052 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Calcium carbonate precipitated for analysis | BEX102066 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Calcium carbonate precipitated, Ph Eur,BP,USP,FCC | BEX102069 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Calcium chloride anhydrous powder Reag. Ph Eur | BEX102378 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Calcium chloride dihydrate Ph Eur,BP,JP,USP | BEX137101 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Calcium hydrogen phosphate anhydroua extra fine powder Ph Eur,BP,USP,FCC | BEX102144 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Calcium hydroxide for analysis ACS,Reag. Ph Eur | BEX102047 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Calcium hypochlorite for synthesis | BEX841799 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|--------------------------------|------------------------|------------|
| Calcium nitrate tetrahydrate extra pure | BEX102120 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Calcium oxide from marble | BEX102109 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Calcium phosphate dried Ph Eur,BP | BEX102143 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Calcium sulfate dihydrate precipitated for analysis | BEX102161 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| DL-Camphor | BEX841456 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Celite Hyflo | BEX102688 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Cellulose microcrystalline for column chromatography | BEX102331 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Cryolite | see Sodium hexafluoroaluminate | | |
| Cetyl alcohol for synthesis | BEX818704 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Charcoal activated powder extra pure | BEX102184 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Chloroacetic acid for synthesis. | BEX800412 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Chloroacetic acid sodium salt | see Sodium chloroacetate | | |
| Chloroform extra pure | BEX102431 | 1 l (Glass Bottle) | 1,800,000 |
| | | 2.5 l (Glass Bottle) | 3,600,000 |
| | | 4 l (Glass Bottle) | 5,400,000 |
| Chloroform for gas chromatography | BEX102432 | 1 l (Glass Bottle) | 2,200,000 |
| | | 2.5 l (Glass Bottle) | 4,400,000 |
| | | 4 l (Glass Bottle) | 6,600,000 |
| | | 1 l (Glass Bottle) | 2,200,000 |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| Chloroform for liquid chromatography | BEX102444 | 2.5 l (Glass Bottle) | 4,400,000 |
| | | 4 l (Glass Bottle) | 6,600,000 |
| Chloroform GR for analysis | BEX102445 | 1 l (Glass Bottle) | 2,000,000 |
| | | 2.5 l (Glass Bottle) | 4,000,000 |
| | | 4 l (Glass Bottle) | 6,000,000 |
| Chromium powder 99+ | BEX112097 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Chromium(VI) oxide for synthesis | BEX822266 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Chromium nitrate nanohydrate for analysis | BEX102481 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Chromosulfuric acid | | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Citric acid anhydrous anhydrous fine-granular Ph Eur,BP,JP,USP,E FCC | BEX100247 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Citric acid monohydrate | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Cobalt powder 99+ | BEX112211 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Cobalt(II) sulfate heptahydrate extra pure | BEX102546 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Copper ine powder particle size < 63 μm | BEX102207 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Copper acetate monohydrate cryst. Extra pure | BEX102710 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Copper (II) nitrate trihydrate for analysis | BEX102753 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Copper(II) sulfate anhydrous Ph Eur BP | BEX102702 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|---|-------------------------------------|
| Copper(II) sulfate anhydrous Ph Eur, BP | BEX102792 | 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Copper(II) sulfate anhydrous for analysis | BEX102791 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Copper(II) sulfate pentahydrate for analysis ACS,ISO,Reag. Ph Eur | BEX102792 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Copper(II) sulfate pentahydrate cryst. Ph Eur,BP,USP | BEX102787 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Curcumin for synthesis | BEX820354 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) | |
| Cyclohexane Extra pure | BEX102832 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) | 1,500,000 3,000,000 4,500,000 |
| Cyclohexane for analysis ACS,ISO,Reag. Ph Eur | BEX109666 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) | 1,600,000 3,200,000 4,800,000 |
| Cyclohexane for gas chromatography ECD and FID | BEX102817 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) | 1,800,000 3,600,000 5,400,000 |
| Cyclohexane for spectroscopy | BEX102822 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) | 1,600,000 3,200,000 4,800,000 |
| Cyclohexane for liquid chromatography LiChrobex | BEX102827 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) | 1,800,000 3,600,000 5,400,000 |
| Cyclohexanone | BEX102888 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) | 1,500,000 3,000,000 4,500,000 |
| Dichloromethane Extra pure, NF | BEX106049 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) | 1,100,000 2,200,000 3,300,000 |
| Dichloromethane for liquid chromatography | BEX106044 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) | 1,500,000 3,000,000 4,500,000 |
| Dichloromethane for spectroscopy | BEX106048 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) | 1,200,000 2,400,000 3,600,000 |
| Dichloromethane GR for analysis | BEX106050 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) | 1,200,000 2,400,000 3,600,000 |
| Dichloromethane dried (max 0.005% H2O) | BEX106051 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) | 2,000,000 4,000,000 |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|------------|
| | | 4 l (Glass Bottle) | 6,000,000 |
| Dichloromethane for gas chromatography | BEX106054 | 1 l (Glass Bottle) | 1,500,000 |
| | | 2.5 l (Glass Bottle) | 3,000,000 |
| | | 4 l (Glass Bottle) | 4,500,000 |
| | | | |
| Dichloromethane for synthesis | BEX822271 | 1 l (Glass Bottle) | 1,100,000 |
| | | 2.5 l (Glass Bottle) | 2,200,000 |
| | | 4 l (Glass Bottle) | 3,300,000 |
| Diethanolamine for synthesis | BEX803116 | 1 l (Glass Bottle) | 1,000,000 |
| | | 2.5 l (Glass Bottle) | 2,000,000 |
| | | 2.5 l (Plastic Bottle) | 1,900,000 |
| | | 4 l (Glass Bottle) | 3,000,000 |
| | | 10 l (Plastic Can) | 6,000,000 |
| Diethylene glycol monoethyl ether for synthesis | BEX803127 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 10 l (Plastic Can) | |
| Diethyl ether | BEX100923 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Diethyl ether for analysis ACS,ISO,Reag. Ph Eur | BEX100921 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Diethyl ether for analysis, Ethanol stabilized ACS | BEX107062 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Diethyl ether for spectroscopy Uvasolbex | BEX100930 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| N,N-Dimethylformamide (DMF) extra pure | BEX103034 | 1 l (Glass Bottle) | 1,600,000 |
| | | 2.5 l (Glass Bottle) | 3,200,000 |
| | | 2.5 l (Plastic Bottle) | 3,100,000 |
| | | 4 l (Glass Bottle) | 4,800,000 |
| | | 10 l (Plastic Can) | 9,600,000 |
| | | 20 l (Plastic Can) | 19,000,000 |
| N,N-Dimethylformamide (DMF) for analysis | BEX103053 | 1 l (Glass Bottle) | 1,800,000 |
| | | 2.5 l (Glass Bottle) | 3,600,000 |
| | | 4 l (Glass Bottle) | 5,400,000 |
| N,N-Dimethylformamide (DMF) dried (max 0.005% H2O) | BEX102375 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| N,N-Dimethylformamide (DMF) for gas chromatography | BEX110983 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| N,N-Dimethylformamide (DMF) for headspace gas chromatography | BEX100202 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 1 l (Glass Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|-------------|
| N,N-Dimethylformamide (DMF) for spectroscopy | BEX102973 | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Dimethyl fumarate | BEX820583 | 100 g (Plastic Bottle) | 5,000,000 |
| | | 250 g (Plastic Bottle) | 10,000,000 |
| | | 500 g (Plastic Bottle) | 15,000,000 |
| | | 1 kg (Plastic Bottle) | 35,000,000 |
| | | 5 kg (Plastic Bottle) | 160,000,000 |
| | | 25 kg (Plastic Bottle) | 750,000,000 |
| Dimethylsulfoxide (DMSO) for synthesis | BEX802912 | 1 l (Glass Bottle) | 2,000,000 |
| | | 2.5 l (Glass Bottle) | 4,000,000 |
| | | 2.5 l (Plastic Bottle) | 3,900,000 |
| | | 4 l (Glass Bottle) | 6,000,000 |
| | | 10 l (Plastic Can) | 12,000,000 |
| Dimethylsulfoxide (DMSO) Extra pure | BEX116743 | 1 l (Glass Bottle) | 2,000,000 |
| | | 2.5 l (Glass Bottle) | 4,000,000 |
| | | 4 l (Glass Bottle) | 6,000,000 |
| | | 10 l (Plastic Can) | |
| Dimethylsulfoxide (DMSO) for analysis | BEX102952 | 1 l (Glass Bottle) | 2,200,000 |
| | | 2.5 l (Glass Bottle) | 4,400,000 |
| | | 4 l (Glass Bottle) | 6,600,000 |
| Dimethylsulfoxide (DMSO) dried (max 0.035% H2O) | BEX102931 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Dimethylsulfoxide (DMSO) for headspace gas chromatography | BEX101900 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Dimethylsulfoxide (DMSO) for spectroscopy | BEX102950 | 1 l (Glass Bottle) | 2,500,000 |
| | | 2.5 l (Glass Bottle) | 5,000,000 |
| | | 4 l (Glass Bottle) | 7,500,000 |
| Dimethylsulfoxide (DMSO) for gas chromatography | BEX109678 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Dry Ice (Freeze CO2) | | 1 kg (Plastic Bottle) | 800,000 |
| Ethylenedinitrilotetraacetic acid disodium salt dihydrate (EDTA disodium. 2H2O) | BEX108454 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ethylenedinitrilotetraacetic acid disodium salt dihydrate (EDTA disodium. 2H2O) for analysis | BEX108418 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Ethanol absolute Extra pure | BEX107017 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 11 l (Plastic Can) | |
| Ethanol absolute HPLC gradient grade | BEX111727 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|---|------------------------|--------------------|
| Ethanol absolute for analysis | BEX100983 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Ethanolamine for synthesis | BEX800849 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Ethyl acetate for spectroscopy | BEX100863 | 1 l (Glass Bottle) | 1,200,000 |
| | | 2.5 l (Glass Bottle) | 2,400,000 |
| | | 4 l (Glass Bottle) | 3,600,000 |
| Ethyl acetate Extra pure | BEX100864 | 1 l (Glass Bottle) | 1,000,000 |
| | | 2.5 l (Glass Bottle) | 2,000,000 |
| | | 2.5 l (Plastic Bottle) | 1,900,000 |
| | | 4 l (Glass Bottle) | 3,000,000 |
| | | 10 l (Plastic Can) | 6,000,000 |
| 20 l (Plastic Can) | | 11,800,000 | |
| | Ethyl acetate for liquid chromatography | BEX100868 | 1 l (Glass Bottle) |
| 2.5 l (Glass Bottle) | | | 2,800,000 |
| 4 l (Glass Bottle) | | | 4,200,000 |
| Ethyl acetate GR for analysis | BEX109623 | 1 l (Glass Bottle) | 1,200,000 |
| | | 2.5 l (Glass Bottle) | 2,400,000 |
| | | 4 l (Glass Bottle) | 3,600,000 |
| Ethyl acetate for gas chromatography | BEX110972 | 1 l (Glass Bottle) | 1,400,000 |
| | | 2.5 l (Glass Bottle) | 2,800,000 |
| | | 4 l (Glass Bottle) | 4,200,000 |
| Ethyl acetate preparative chromatography | BEX113353 | 1 l (Glass Bottle) | 1,300,000 |
| | | 2.5 l (Glass Bottle) | 2,600,000 |
| | | 4 l (Glass Bottle) | 3,900,000 |
| Ethyl acetate for synthesis | BEX822277 | 1 l (Glass Bottle) | 1,000,000 |
| | | 2.5 l (Glass Bottle) | 2,000,000 |
| | | 2.5 l (Plastic Bottle) | 1,900,000 |
| | | 4 l (Glass Bottle) | 3,000,000 |
| | | 10 l (Plastic Can) | 6,000,000 |
| Ethylene glycol extra pure | BEX100949 | 1 l (Plastic Bottle) | 7,000,000 |
| | | 2.5 l (Plastic Bottle) | 14,000,000 |
| | | 10 l (Plastic Can) | 42,000,000 |
| 20 l (Plastic Can) | 77,000,000 | | |
| Ethylene glycol extra pure | BEX109621 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 10 l (Plastic Bottle) | |
| Ethylene glycol monomethyl ether | BEX100859 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 4 l (Glass Bottle) | |
| Ethyl methyl ketone extra pure | BEX106014 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 4 l (Glass Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|------------|
| | | 10 l (Plastic Bottle) | |
| Ethyl methyl ketone for analysis ACS,Reag. Ph Eur | BEX109708 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 4 l (Glass Bottle) | |
| Formaldehyde solution (stabilized with about 10% methanol) for synthesis | BEX818708 | 1 l (Plastic Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 10 l (Plastic Bottle) | |
| | | 20 l (Plastic Bottle) | |
| Formic acid 85% Extra Pure | BEX100265 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 10 l (Plastic Can) | |
| | | 20 l (Plastic Can) | |
| Fumaric acid for synthesis | BEX800269 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Gelatin powder, Ph Eur,BP,NF | BEX104078 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Germanium clips | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Glass bottle for liquids | BEX110394 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| D-(+)Glucose Anhydrous | BEX346351 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Glycerol anhydrous pure, Ph Eur, BP, USP | BEX104093 | 1 l (Glass Bottle) | 1,300,000 |
| | | 2.5 l (Glass Bottle) | 2,600,000 |
| | | 4 l (Glass Bottle) | 3,900,000 |
| Glycerol anhydrous, for synthesis | BEX818709 | 1 l (Glass Bottle) | 1,200,000 |
| | | 2.5 l (Glass Bottle) | 2,400,000 |
| | | 4 l (Glass Bottle) | 3,600,000 |
| | | 10 l (Plastic Can) | 7,200,000 |
| Glycine (Aminoacetic acid) for synthesis. | BEX816013 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Graphite fine powder extra pure | BEX104206 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Hexachloroplatinic(IV) acid hexahydrate (40% Pt) for | | 1 g (Glass Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-----------------|--|------------------------|
| Hexachloroplatinic(IV) acid hexahydrate (~40% Pt) for synthesis | BEX807340 | 5 g (Glass Bottle) 10 g (Glass Bottle) | |
| Hexachloroplatinic(IV) acid (11-15% Pt), 25-50% solution in isopropanol, for synthesis | BEX843812 | 1 ml (Glass Bottle) 5 ml (Glass Bottle) 10 ml (Glass Bottle) | |
| Hexachloroplatinic (IV) acid solution about 10% , (3.8% Pt) GR for analysis | BEX107341 | 5 ml (Glass Bottle) 10 ml (Glass Bottle) 25 ml (Glass Bottle) | |
| hexamine | see Methenamine | | |
| n-Hexane Extra pure 55% | BEX104378 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) 2.5 l (Plastic Bottle) 10 l (Plastic Can) | |
| Hydrazin hydrate (24% solution in water) for synthesis | BEX843993 | 1 l (Plastic Bottle) 2.5 l (Plastic Bottle) 10 l (Plastic Can) | |
| Hydrazin hydrate (80% solution in water) for synthesis | BEX804604 | 1 l (Plastic Bottle) 2.5 l (Plastic Bottle) 10 l (Plastic Can) | |
| Hydrobromic acid | BEX100304 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) | |
| Hydrogen peroxide 30% for synthesis | BEX822287 | 1 l (Plastic Bottle) 2.5 l (Plastic Bottle) | |
| Hydrogen peroxide 30% for analysis | BEX107209 | 1 l (Plastic Bottle) 2.5 l (Plastic Bottle) | |
| Hydrogen peroxide 35% extra pure | BEX108600 | 1 l (Plastic Bottle) 2.5 l (Plastic Bottle) 10 l (Plastic Can) | |
| Hydrogen peroxide 35% technical grade | BEX108556 | 1 l (Plastic Bottle) 2.5 l (Plastic Bottle) 10 l (Plastic Can) 20 l (Plastic Can) | |
| Hydroquinone for synthesis | BEX822333 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Imidazole | BEX814223 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Indole-3-acetic acid extra pure | BEX100353 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Iodine RP USP | BEX101760 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) | 1,800,000 3,600,000 |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|-------------------------|------------|
| Iron powder | BEX104700 | 500 g (Plastic Bottle) | 7,200,000 |
| | | 1 kg (Plastic Bottle) | 14,400,000 |
| Iron powder | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Iron(III) chloride anhydrous for synthesis | BEX803945 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Iron(III) chloride solution (10% Fe) for analysis | BEX105512 | 250 ml (Plastic Bottle) | |
| Iron(III) chloride tetrahydrate for analysis | BEX103861 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Iron(II,III) oxide | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Iron(II) sulfate heptahydrate | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Iron(II) sulfate hydrate | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Isobutanol extra pure | BEX100985 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Isobutyl acetate for synthesis | BEX820557 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Kaolin powder | BEX104440 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| KafiCoulomat fritless Karl Fischer reagent for coulometric water determination for cells with diaphragm Aquabex | BEX109255 | 1 l (Glass Bottle) | |
| KafiCoulomat frit Karl Fischer reagent for coulometric water determination for cells with and without diaphragm Aquabex | BEX109257 | 1 l (Glass Bottle) | |
| KafiTitrant 1 one component reagent for volumetric Karl Fischer titration 1 ml ca. 1 mg H ₂ O Aquabex | BEX188001 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| KafiTitrant 2 one component reagent for volumetric Karl Fischer titration 1 ml ca. 2 mg H ₂ O Aquabex | BEX188002 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| KafiTitrant 5 one component reagent for volumetric Karl Fischer titration 1 ml ca. 5 mg H ₂ O Aquabex | BEX188005 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| KafiTitrant 5 Keto one component reagent for volumetric Karl Fischer | BEX188006 | 1 l (Glass Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|---|------------|
| titration for aldehydes and ketones 1 ml ca. 5 mg H ₂ O Aquabex | BEX188000 | 2.5 l (Glass Bottle) | |
| kafiSolvent Keto Solvent for volumetric Karl Fischer titration with one component reagents for aldehyds and ketones Aquabex | BEX188007 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) | |
| kafiSolventmethanol-free solvent for volumetric Karl Fischer titration with one component reagents Aquabex | BEX188008 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) | |
| kafiMethanol Solvent for volumetric Karl Fischer titration with one component reagents max. 0.01% H ₂ O Aquabex | BEX188009 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) | |
| Titrant 5 titrant for volumetric Karl Fischer titration with two component reagents 1 ml ca. 5 mg H ₂ O Aquabex | BEX188010 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) | |
| Titrant 2 titrant for volumetric Karl Fischer titration with two component reagents 1 ml ca. 2 mg H ₂ O Aquabex | BEX188011 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) | |
| Solvent for volumetric Karl Fischer titration with two component reagents Aquabex | BEX188015 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) | |
| KafiSolvent Oil Solvent for volumetric Karl Fischer titration with one component reagents for fats Aquabex | BEX188020 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) | |
| KafiSolvent Fats Solvent for volumetric Karl Fischer titration with one component reagents for fats Aquabex | BEX188021 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) | |
| (S)-Lactic acid about 90% suitable for use as excipient Ph Eur, BP | BEX100336 | 1 l (Plastic Bottle) 2.5 l (Plastic Bottle) 10 l (Plastic Can) 20 l (Plastic Can) | |
| Lactose monohydrate | BEX137045 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Lead fine powder 99+ | BEX112067 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) | |
| Lead(II) acetate trihydrate for analysis ACS, Reag. Ph Eur | BEX107375 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Lead(II) chloride anhydrous for synthesis | BEX807383 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Lead(II) nitrate for analysis ACS, Reag. Ph Eur | BEX107398 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Lithium (protective liquid: paraffin oil) for synthesis | BEX805660 | 100 g (Glass Bottle) 250 g (Glass Bottle) 500 g (Glass Bottle) | |
| Lithium Bromide solution 54% | | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) 10 l (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| Lithium carbonate extra pure | BEX105670 | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Lithium chloride for analysis ACS,Reag. Ph Eur | BEX105679 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Lithium chromate solution 20% | | 4 l (Glass Bottle) | |
| Lithium hydroxide monohydrate extra pure | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Lithium nitrate extra pure | BEX112230 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Lithium sulfate monohydrate for analysis ACS,Reag. Ph Eur | BEX105694 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Magnesium powder particle size about 0.06-0.3mm | BEX105815 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Magnesium hydroxide carbonate for analysis | BEX105827 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Magnesium nitrate hexahydrate for analysis ACS,Reag. Ph Eur | BEX105853 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Magnesium oxide light extra pure Ph Eur,BP,USP,E 530 | BEX105862 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Magnesium stearate Ph Eur,BP,JP,NF,FCC | BEX100663 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Magnesium sulfate anhydrous for analysis | BEX106067 | 100 g (Glass Bottle) | 400,000 |
| | | 250 g (Glass Bottle) | 800,000 |
| | | 500 g (Glass Bottle) | 1,400,000 |
| Magnesium sulfate heptahydrate extra pure | BEX172572 | 1 kg (Glass Bottle) | 2,500,000 |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| Maleic acid for synthesis | BEX800380 | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Maleic anhydride for synthesis | BEX800408 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| DL-Malic acid for synthesis | BEX814737 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Manganese powder 99+ | BEX112237 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Manganese(II) chloride dihydrate | BEX105934 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Manganese(II) nitrate tetrahydrate for analysis | BEX105940 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Manganese(II) sulfate tetrahydrate | BEX102786 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| D(-)-Mannitol Ph Eur,BP,USP,JP | BEX137096 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| DL-Menthol for synthesis | BEX818452 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Mercury extra pure | BEX 104401 | 10 g (Plastic Bottle) | |
| | | 25 g (Plastic Bottle) | |
| | | 50 g (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| Mercury(II) acetate for analysis ACS,Reag. Ph Eur | BEX104410 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Mercury(II) chloride fine cryst. Extra pure | BEX104417 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|------------|
| Mercury(II) nitrate monohydrate for analysis ACS,Reag. Ph Eur | BEX104439 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Mercury(II) sulfate extra pure | BEX104481 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Methacrylic acid (stabilised with hydroquinone monomethyl ether) for synthesis | BEX800578 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Methenamine GR for analysis Reag. Ph Eur | BEX104343 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Methanol for spectroscopy | BEX106002 | 1 l (Glass Bottle) | 400,000 |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | 1,500,000 |
| Methanol gradient grade for liquid chromatography | BEX106007 | 1 l (Glass Bottle) | 450,000 |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | 1,600,000 |
| Methanol Extra pure | BEX106008 | 1 l (Glass Bottle) | 35,000 |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | 1,200,000 |
| | | 2.5 l (Plastic Bottle) | 750,000 |
| | | 10 l (Plastic Can) | 2,000,000 |
| Methanol for Cleaning | BEX67561 | 10 l (Plastic Can) | 1,800,000 |
| Methanol GR for analysis | BEX106009 | 1 l (Glass Bottle) | 400,000 |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | 1,400,000 |
| Methanol for gas chromatography | BEX106011 | 1 l (Glass Bottle) | 450,000 |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | 1,600,000 |
| Methanol dried (max 0.01% H ₂ O) | BEX106012 | 1 l (Glass Bottle) | 108,882 |
| Methanol for liquid chromatography | BEX106018 | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | 1,500,000 |
| | | 1 l (Glass Bottle) | 400,000 |
| Methanol preparative chromatography | BEX113351 | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | 1,500,000 |
| | | 1 l (Glass Bottle) | 400,000 |
| Methanol for synthesis | BEX822283 | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | 1,200,000 |
| | | 2.5 l (Plastic Bottle) | 750,000 |
| | | 10 l (Plastic Can) | 2,000,000 |
| | | 1 l (Glass Bottle) | 35,000 |
| 1-Methoxy-2-propanol extra pure | BEX116738 | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 1 l (Glass Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|------------------------------|------------------------|------------|
| Methyl acetate for synthesis | BEX809711 | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 10 l (Plastic Bottle) | |
| Methyl Benzoate extra pure | BEX106059 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Methylene blue Reag. Ph Eur | BEX159270 | 10 g (Plastic Bottle) | |
| | | 25 g (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| Methyl 4-hydroxybenzoate Ph Eur,BP,JP,NF,FCC | BEX106757 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Methylparabene | see Methyl 4-hydroxybenzoate | | |
| 1-Methyl-2-pyrrolidone (n-methylpyrrolidone) extra pure | BEX806072 | 1 l (Glass Bottle) | |
| | | 1 l (Plastic Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 4 l (Glass Bottle) | |
| Methyl red indicator ACS,Reag. Ph Eur | BEX106076 | 10 l (Plastic Can) | |
| | | 10 g (Plastic Bottle) | |
| | | 25 g (Plastic Bottle) | |
| Methyl Salicylate synthetic, Ph Eur,BP,NF | BEX106070 | 50 g (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Microcrystalline Cellulose | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Molecular Sieve beads ~ 2 mm / ~ 10 mesh | BEX105704 | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Molybdenum powder 99+ | BEX112254 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Morpholine for synthesis | BEX806127 | 1 kg (Plastic Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| Naphthalene for synthesis | BEX820846 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Nickel powder 99+ | BEX112277 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Nickel (II) chloride hexahydrate for analysis | BEX106717 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| Nickel (II) nitrate hexahydrate for analysis | BEX106721 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Nickel (II) sulfate hexahydrate extra pure | BEX106726 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Nicotinamide Ph Eur,BP,USP,JP,FCC | BEX500299 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Nicotinic acid extra pure Ph Eur,BP,USP. | BEX500005 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Nitric acid for analysis ACS,Reag. Ph Eur | BEX101799 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Oleic acid for synthesis | BEX843483 | 100 ml (Glass Bottle) | |
| | | 250 ml (Glass Bottle) | |
| | | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Oxalic acid anhydrous for synthesis | BEX816144 | 1 kg (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Oxalic acid dihydrate for synthesis | BEX818242 | 1 kg (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Palladium(II) chloride anhydrous, for synthesis | BEX807110 | 1 kg (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Paraformaldehyde for synthesis | BEX818715 | 1 kg (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Paraffin highly liquid Ph Eur,BP,NF,JP | BEX107174 | 1 l (Plastic Bottle) | 650,000 |
| | | 2.5 l (Plastic Bottle) | 1,300,000 |
| | | 10 l (Plastic Can) | 3,900,000 |
| Petroleum ether for denaturation | BEX101769 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 10 l (Plastic Can) | |
| | | 20 l (Plastic Can) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| ortho-Phosphoric acid extra pure, Ph Eur, BP,NF | BEX100563 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 10 l (Plastic Can) | |
| | | 20 l (Plastic Can) | |
| ortho-Phosphoric acid GR for analysis | BEX100573 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| Phenol for synthesis | BEX822296 | 100 g (Glass Bottle) | |
| | | 250 g (Glass Bottle) | |
| | | 500 g (Glass Bottle) | |
| | | 1 kg (Glass Bottle) | |
| Phenolphthalein indicator ACS,Reag. Ph Eur | BEX107233 | 10 g (Glass Bottle) | |
| | | 25 g (Glass Bottle) | |
| Phosphorus pentoxide extra pure | BEX100540 | 50 g (Glass Bottle) | |
| | | 100 g (Glass Bottle) | |
| | | 500 g (Glass Bottle) | |
| | | 1 kg (Glass Bottle) | |
| Phthalic anhydride for synthesis | BEX800592 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Phthalimide potassium salt for synthesis | BEX807302 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Polyethylene glycol 400 for synthesis | BEX807485 | 1 l (Glass Bottle) | |
| | | 1 l (Plastic Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 4 l (Glass Bottle) | |
| Polyethylene glycol 600 for synthesis | BEX807486 | 1 l (Glass Bottle) | |
| | | 1 l (Plastic Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 4 l (Glass Bottle) | |
| Polyethylene glycol 1000 for synthesis | BEX807488 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Polyethylene glycol 1500 for synthesis | BEX807489 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|------------|
| | | 5 kg (Plastic Bottle) | |
| Polyethylene glycol 2000 for synthesis | BEX821037 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Polyethylene glycol 3000 for synthesis | BEX819015 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Polyethylene glycol 4000 for synthesis | BEX807490 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Polyethylene glycol 6000 for synthesis | BEX807491 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Polyethylene glycol 10000 for synthesis | BEX821881 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Potassium for synthesis | BEX804815 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Potassium chloride Extra pure | BEX172573 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Potassium chloride Ph Eur, BP, USP | BEX104935 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 2 kg (Plastic Bottle) | |
| Potassium chloride GR for analysis | BEX104936 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 3 kg (Plastic Bottle) | |
| Potassium chloride super pure | BEX104938 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Potassium carbonat Extra pure, Ph Eur, BP, USP | BEX104924 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| tri-Potassium citrate, monohydrate Extra pure | BEX104956 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| Potassium cyanide Extra pure | BEX104965 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Potassium dichromate Extra pure | BEX104862 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Potassium dihydrogen phosphate Extra pure | BEX104871 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Potassium dihydrogen phosphate GR for analysis | BEX104928 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 2 kg (Plastic Bottle) | |
| Potassium hydrogen carbonat Extra pure, Ph Eur, BP, USP | BEX104852 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Potassium hydrogen carbonat GR for analysis | BEX104854 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| di-Potassium hydrogen phosphate Extra pure | BEX105104 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Potassium hydrogen phthalate Extra pure | BEX104874 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Potassium hydrogen sulfate Extra pure | BEX104883 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Potassium hydroxide Flake for synthesis | BEX814354 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Potassium iodate Extra pure | BEX105050 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Potassium iodide BP, USP | BEX105040 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------------------------|------------------------|------------|
| Potassium nitrate Extra pure | BEX105061 | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| di-Potassium oxalate monohydrate Extra pure | BEX105072 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Potassium permanganate Extra pure | BEX105080 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Potassium peroxodisulfate for analysis | BEX105091 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Potassium peroxodisulfate for analysis (<= 0.001% N) ACS,Reag. Ph Eur | BEX105092 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Potassium persulphate | see Potassium peroxodisulfate | | |
| di-Potassium phthalate for synthesis | BEX822080 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Potassium sorbate Extra pure, BP, USP | BEX105118 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Potassium sulfate Extra pure | BEX105151 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| 1,2-Propanediol for synthesis | BEX822324 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| 1-Propanol Extra pure | BEX100996 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| 1-Propanol GR for analysis | BEX100997 | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| 1-Propanol for liquid chromatography | BEX101024 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| 2-Propanol for spectroscopy | BEX100993 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|--------------------------|------------------------|------------|
| 2-Propanol dried (max 0.01% H ₂ O) | BEX100994 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| 2-Propanol Extra pure, Ph Eur, BP, USP | BEX100995 | 1 l (Glass Bottle) | 1,100,000 |
| | | 2.5 l (Glass Bottle) | 2,200,000 |
| | | 2.5 l (Plastic Bottle) | 2,100,000 |
| | | 4 l (Glass Bottle) | 3,300,000 |
| | | 10 l (Plastic Can) | 5,000,000 |
| 2-Propanol for gas chromatography | BEX100998 | 1 l (Glass Bottle) | 1,300,000 |
| | | 2.5 l (Glass Bottle) | 2,600,000 |
| | | 4 l (Glass Bottle) | 3,900,000 |
| 2-Propanol gradient grade for liquid chromatography | BEX101040 | 1 l (Glass Bottle) | 1,300,000 |
| | | 2.5 l (Glass Bottle) | 2,600,000 |
| | | 4 l (Glass Bottle) | 3,900,000 |
| 2-Propanol GR for analysis | BEX109634 | 1 l (Glass Bottle) | 1,200,000 |
| | | 1 l (Plastic Bottle) | 1,050,000 |
| | | 2.5 l (Glass Bottle) | 2,400,000 |
| | | 4 l (Glass Bottle) | 3,600,000 |
| 2-Propanol preparative chromatography | BEX113350 | 1 l (Glass Bottle) | 1,200,000 |
| | | 2.5 l (Glass Bottle) | 2,400,000 |
| | | 4 l (Glass Bottle) | 3,600,000 |
| 2-Propanol for synthesis | BEX818766 | 1 l (Glass Bottle) | 1,100,000 |
| | | 2.5 l (Glass Bottle) | 2,200,000 |
| | | 2.5 l (Plastic Bottle) | 2,100,000 |
| | | 4 l (Glass Bottle) | 3,300,000 |
| | | 10 l (Plastic Can) | 5,000,000 |
| Propylene glycol monomethyl ether | see 1-Methoxy-2-propanol | | |
| Propylene glycol (1,2-Propanediol) for synthesis | BEX822324 | 1 l (Plastic Bottle) | |
| | | 2.5 l (Plastic Bottle) | |
| | | 10 l (Plastic Can) | |
| Propylparabene Extra pure, BP, USP | BEX107427 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Raney nickel catalyst for synthesis | BEX820876 | 100 g (Glass Bottle) | |
| Saccharin for synthesis | BEX817022 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Saccharin sodium salt dihydrate for synthesis | BEX814114 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Salicylic acid for synthesis | BEX818731 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Selenium Extra pure | BEX107714 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|------------|
| Silicagel 160-200 mesh for column chromatography | BEX107734 | 500 g (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Silica gel with indicator Desiccant | BEX101972 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Silicon Extra pure | BEX215619 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Silicon carbide Extra pure | BEX378097 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Silicon dioxide Extra pure, BP, USP | BEX113126 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Silver, Powder 99.9% Extra pure | BEX 101502 | 25 g (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Silver acetate for synthesis | BEX801504 | 25 g (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Silver chloride Extra pure | BEX119203 | 25 g (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Silver nitrate Extra pure, Ph Eur, BP, USP | BEX101510 | 25 g (Plastic Bottle) | |
| | | 50 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Silver nitrate GR for analysis | BEX101512 | 25 g (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Silver sulfate Extra pure | BEX101534 | 25 g (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Sodium for synthesis | BEX822284 | 100 g (Glass Bottle) | |
| | | 250 g (Glass Bottle) | |
| | | 500 g (Glass Bottle) | |
| | | 1 kg (Glass Bottle) | |
| Sodium acetate anhydrous Extra pure | BEX106281 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|------------|
| Sodium acetate trihydrate Extra pure Ph Eur, BP, JP, USP | BEX106265 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium benzoate Extra pure Ph Eur, BP, JP, USP | BEX106290 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium borohydride for synthesis | BEX806373 | 100 g (Glass Bottle) | |
| | | 250 g (Glass Bottle) | |
| | | 500 g (Glass Bottle) | |
| Sodium bromide | BEX106398 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium carbonate anhydrous | BEX106398 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium chloride Extra pure, Ph Eur, BP, USP | BEX106400 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium chloride GR for analysis | BEX106404 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium chloride super pure | BEX106406 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Sodium chloroacetate for synthesis | BEX820293 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| tri-Sodium citrate anhydrous extra pure USP | BEX111037 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| tri-Sodium citrate dihydrate extra pure Ph Eur, BP, USP | BEX106447 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Sodium cyanide extra pure | BEX106437 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|------------|
| Sodium diacetate extra pure | BEX390003 | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | | |
| Sodium dichromate dihydrate extra pure | BEX106336 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium dihydrogen phosphate dihydrate extra pure Ph Eur, BP, JP, USP | BEX106345 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium disulfite (sodium metabisulfite) extra pure Ph Eur, BP, USP | BEX106357 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium dithionite GR for analysis | BEX106507 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium fluoride extra Pure | BEX172576 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium formaldehyde sulfoxylate hydrate for synthesis | BEX806455 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium formate extra Pure | BEX106443 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium gluconate extra pure, USP | BEX817054 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium hexafluoroaluminate 97% (Cryolite) | BEX305499 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | | |
| di-Sodium hydrogen phosphate anhydrous extra pure Ph Eur, BP, USP | BEX106585 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium hydrogen sulfite Solution 40% for synthesis | BEX806356 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|---|------------|
| Sodium hydrochloric acid solution 40%, for synthesis | BEX806550 | 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sodium hydroxide granulated about 0.8- 1.6 mm | BEX101567 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sodium hypochlorite solution (6-14% active chlorine) for synthesis | BEX105614 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sodium iodide extra pure, BP, USP | BEX106520 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) | |
| Sodium lactate extra pure | BEX106522 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sodium lauryl sulfate for synthesis | BEX817034 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| di-Sodium maleate extra pure | BEX63260 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sodium methylate 30% solution in methanol for synthesis | BEX818194 | 1 l (Plastic Bottle) 2.5 l (Plastic Bottle) | |
| Sodium methylate for synthesis | BEX806538 | 250 g (Plastic Bottle) 500 g (Plastic Bottle) | |
| Sodium molybdate dihydrate extra pure | BEX106524 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sodium molybdate dihydrate GR for analysis | BEX106521 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sodium nitrate extra pure | BEX106535 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sodium nitrate GR for analysis | BEX106537 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sodium nitrite extra pure | BEX106544 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| | | 1 kg (Plastic Bottle) | |
| Sodium nitrite GR for analysis | BEX106549 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| di-Sodium oxalate GR for analysis | BEX106557 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium peroxidisulfate for analysis | BEX106609 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Tri-Sodium phosphate, Anhydrous extra pure | BEX342383 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| tetra-Sodium pyrophosphate, decahydrate GR for analysis | BEX106591 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium selenite extra pure | BEX214485 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Sodium salicylate technical grade | BEX | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium silicate hydrate extra pure | BEX105621 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium sulfate anhydrous extra pure, BP, USP | BEX106645 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium sulfide extra pure | BEX13468 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Sodium sulfite extra pure | BEX106652 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| di-Sodium tartrate dihydrate water standard for volumetric karl fischer | BEX106664 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| di-Sodium tetraborate pentahydrate extra pure | BEX106305 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|---|------------|
| di-Sodium tetraborate, pentahydrate extra pure | BEX106302 | 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| di-Sodium tetraborate, decahydrate extra pure | BEX106303 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sodium thiosulfate pentahydrate extra pure | BEX106513 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Starch Corn extra pure, USP | BEX | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Stearic acid for synthesis | BEX 800673 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) 5kg (Plastic Bottle) | |
| Stearyl alcohol for synthesis | BEX817082 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Strontium nitrate extra pure | BEX13914 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sucrose extra pure, BP, NF | BEX107654 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sulfamic acid(Amidosulfuric acid) extra pure | BEX100219 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sulfur extra pure | BEX107983 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| Sulfuric Acid 95-98% extra pure, Ph Eur, BP, USP | BEX100713 | 1 l (Glass Bottle) 2.5 l (Glass Bottle) 4 l (Glass Bottle) 10 l (Plastic Bottle) | |
| Talc extra pure | BEX108070 | 100 g (Plastic Bottle) 250 g (Plastic Bottle) 500 g (Plastic Bottle) 1 kg (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|------------|
| Tantalum powder extra pure | BEX112349 | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| DL-Tartaric acid for synthesis | BEX843377 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Terephthalic acid for synthesis | BEX800762 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Tetrachloroauric (III) acid trihydrate (Gold III Chloride) GR for analysis, 99.5% | BEX101582 | 1 g (Glass Bottle) | |
| | | 10 g (Glass Bottle) | |
| Tetrahydrofuran(THF) Extra Pure | BEX108114 | 1 l (Glass Bottle) | 2,800,000 |
| | | 2.5 l (Glass Bottle) | 5,600,000 |
| | | 4 l (Glass Bottle) | 8,400,000 |
| Tetrahydrofuran(THF) GR for analysis | BEX109731 | 1 l (Glass Bottle) | 3,100,000 |
| | | 2.5 l (Glass Bottle) | 6,200,000 |
| | | 4 l (Glass Bottle) | 9,300,000 |
| Tetrahydrofuran(THF) dried(max 0.005% H2O) | BEX108107 | 1 l (Glass Bottle) | 4,000,000 |
| Tetrahydrofuran(THF) for spectroscopy | BEX108110 | 1 l (Glass Bottle) | 3,300,000 |
| | | 2.5 l (Glass Bottle) | 6,600,000 |
| | | 4 l (Glass Bottle) | 9,900,000 |
| Tetrahydrofuran(THF) for liquid chromatography | BEX108101 | 1 l (Glass Bottle) | 3,500,000 |
| | | 2.5 l (Glass Bottle) | 7,000,000 |
| | | 4 l (Glass Bottle) | 10,500,000 |
| Thionyl chloride for synthesis | BEX808154 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Thiourea for synthesis | BEX818591 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Tin extra Pure | BEX107807 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| Tin (II) chloride dihydrate extra Pure | BEX107813 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Tin (II) sulfate extra Pure | BEX112416 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Titanium extra pure | BEX112379 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Titanium (IV) oxide extra pure RD USD | BEX100805 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| Titanium (IV) oxide extra pure, BP, USP | BEX100805 | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Toluene Extra pure | BEX108323 | 1 l (Glass Bottle) | 700,000 |
| | | 2.5 l (Glass Bottle) | 1,400,000 |
| | | 2.5 l (Plastic Bottle) | 1,300,000 |
| | | 4 l (Glass Bottle) | 2,100,000 |
| | | 10 l (Plastic Can) | 4,000,000 |
| | | 20 l (Plastic Can) | 7,000,000 |
| Toluene GR for analysis | BEX108325 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Toluene dried (max 0.005% H ₂ O) | BEX108326 | 1 l (Glass Bottle) | |
| Toluene for liquid chromatography | BEX108327 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Toluene for spectroscopy | BEX108331 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Toluene for gas chromatography | BEX108389 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| p-Toluenesulfonic acid monohydrate for synthesis | BEX814725 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Triacetin (Glycerol triacetate) extra pure, BP, USP | BEX103000 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Tributylamine for synthesis | BEX808358 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Triethanolamine extra pure | BEX822341 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Triethylamine for synthesis | BEX808352 | 1 l (Glass Bottle) | |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | |
| Triethylammonium chloride for synthesis | BEX821135 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Tri-sodium phosphate dodecahydrate extra pure | BEX106577 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Tungsten extra pure | BEX112406 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|--|-------------|------------------------|------------|
| Urea extra pure, USP | BEX108484 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Vanadium(V) oxide extra pure | BEX100824 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Water GR for analysis | BEX116754 | 1 l (Plastic Bottle) | 400,000 |
| | | 2.5 l (Plastic Bottle) | 850,000 |
| | | 10 l (Plastic Can) | 2,500,000 |
| Water for chromatography | BEX115333 | 1 l (Glass Bottle) | 450,000 |
| | | 2.5 l (Glass Bottle) | |
| | | 4 l (Glass Bottle) | 1,600,000 |
| Water ultra-pure | BEX101262 | 1 l (Plastic Bottle) | 900,000 |
| Water for inorganic analysis | BEX100473 | 2.5 l (Plastic Bottle) | 850,000 |
| | | 10 l (Plastic Can) | 2,500,000 |
| Xylene mix of isomers for synthesis | BEX818754 | 1 l (Glass Bottle) | 1,200,000 |
| | | 2.5 l (Glass Bottle) | 2,400,000 |
| | | 2.5 l (Plastic Bottle) | 2,300,000 |
| | | 4 l (Glass Bottle) | 3,600,000 |
| | | 10 l (Plastic Can) | 7,200,000 |
| Xylene mix of isomers Extra pure | BEX108685 | 1 l (Glass Bottle) | 8,000,000 |
| | | 2.5 l (Glass Bottle) | 16,000,000 |
| | | 2.5 l (Plastic Bottle) | 15,900,000 |
| | | 4 l (Glass Bottle) | 24,000,000 |
| | | 10 l (Plastic Can) | 48,000,000 |
| Xylene mix of isomers GR for analysis | BEX108681 | 1 l (Glass Bottle) | 9,000,000 |
| | | 2.5 l (Glass Bottle) | 18,000,000 |
| | | 4 l (Glass Bottle) | 27,000,000 |
| Zeolite powder Natural Mineral | BEX96096 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 5 kg (Plastic Bottle) | |
| Zinc powder extra pure | BEX108774 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Zinc acetate dihydrate extra pure, USP | BEX108800 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Zinc chloride extra pure, USP | BEX108815 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| | | 100 g (Plastic Bottle) | |

| Product Name-Grade | Catalog No. | Packaging | Price(IRS) |
|---|-------------|------------------------|------------|
| Zinc cyanide extra pure | BEX256498 | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| | | 1 kg (Plastic Bottle) | |
| Zinc nitrate tetrahydrate GR for analysis | BEX108833 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Zinc oxide extra pure, BP, USP | BEX108846 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Zinc phosphate extra pure | BEXPS803 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Zinc sulfate heptahydrate extra pure, BP, USP | BEX108881 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Zinc sulfate monohydrate extra pure, BP, USP | BEX108882 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Zinc sulfite dihydrate extra pure | BEX494623 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |
| Zirconium extra pure | BEX403296 | 100 g (Plastic Bottle) | |
| | | 250 g (Plastic Bottle) | |
| | | 500 g (Plastic Bottle) | |