


## Color Measurement

## Spectrophotometer



These color spaces include:

- RGB
- CIE XYZ
- CIE L\*a\*b\*

Spectrophotometry- assisted color measurement can be useful in areas such as:

- Color & Resin industry
- Nano - Dye Technologies
- Food & Beverages
- Oil and Petrochemical industry
- Water & Waste Water industry

اسپکٹروفٹومٹر رنگ سنجی

---

**Photonix Ar 2015cmv**

## Specifications of Color Measurement Spectrophotometer

### Optical Specifications

Wavelength range	380-800 nm (380-1100 nm)
Straylight	< 0.03%
Resolution	< + 1.0 nm
Wavelength Accuracy	< ± 0.1 nm
Wavelength Reproducibility	< ± 0.02 nm for 10 consecutive scans (NIST 2034)
Photometric Accuracy	< ± 0.01 A at 440.0 465.0 590.0 635.0 nm(NIST 930e)
Photometric noise	<0.01 A 80 scan at 0 A, 500 nm
Photometric stability	<0.01 A/min at 0 A, 500 nm
Baseline flatness	<0.01A 0.5 second blank, 0.5 second scan at 0 A, 500 nm
Scan time	2-1000 ms
Typical Scan Time	0.01s
Light Source	Halogen / Tungsten Lamp
Detector	1000 Multichannel

### Physical Specifications

Communication	USB 2
Software	Windows XP , 7, 8
Height × width × depth	13 × 33 × 50 cm
Weight	10 kg
Power	220V AC 50/60 HZ

Tell :+98(021) 88357692      Email : info@spectrometer.ir  
Fax :+98(021) 88357803      Website : www.spectrometer.ir  
Address : No.115, Dr. Fathi shaghaghi St, Yosef abad, Tehran, Iran  
Teifsanje Pishro Pajohesh Co. Ltd.

