


# Epifluorescence illuminator module

Model: GA-EI 01





# Specifications


Unit name	Epifluorescence illuminator module
Model	GA-EI 01
Description	Fluorescence module with 5-position filterwheel and HBO mercury lamp
Fluorescence light source	100 W HBO mercury lamp and housing
Fluorescence lamp house	Adjustable
Filter sets	4-position fluorescence filter sets
	Excitation Filter types: B, G, V, UV
	Customized filter sets available upon request
Wavelengths of filter sets	G: Ex 510-550 nm, Em 590LP ( 593/40 BP), DM 570
	B: Ex 460-490 nm, Em 520LP ( 474/27 BP), DM 500
	V: Ex 380-440 nm, Em 470LP ( 483/32 BP), DM 455
	UV: Ex 350-400 nm, Em 420LP ( 447/60 BP), DM 409
Filter sets switch type	User-changeable module (manual)
Diaphragm	Aperture and field diaphragms (manual)
Power supply	Input AC100 -240 V, 50/60 Hz, output 20 V DC 100 W
Dimensions	420 mm x 180 mm x 63 mm
Fluorescence module weight	4 kg
Fluorescence module color	White







# Filter sets

Captured images using epifluorescence illuminator module





B (Blue)

G (Green)



UV (Ultraviolet)

V (Violet)



آدرس: تهران، طرشت، بلوار شهید علیرضا عزیزی، خیابان اکبری،  
کوچه شهید محسن مظفری، پلاک ۶ شرکت زیستاژن آفرین

09307384794

zistageneafarin.official@gmail.com

www.geneafarin.com

